INDEX TO VOLUME 50

New names and the final members of new combinations are in **bold face type.**

Abnormal elaters of Porella platyphylla, 85
Acacia, 2; Senegal, 13
Acer, 246, 250; Fagus, 245; Negundo, 246; niveum, 299
Adiantum cuneatum, 22, 96
Aegiphila laevis, 54; **trinitensis,** 54
Agalmyla parasitica, 288
Agropyron repens, 13
Albizzia, 301; montana, 303, 304
Allium, 13
Alnus, 248; Frangula, 13
Alsophila, 284, 297; glauca densa, 298
Althea officinalis, 13; rosea, 3; taurinensis, 4
Altingia, 285, 292; excelsa, 284, 285
Altitudinal distribution of plants on Mt. Gedeh, Java, The, 283
Amaryllis, 296
American Connaraceae, New, 273
American Porias—II, Diagnoses of, 245
Amomum, 288, 293
Anamomis **reticulata,** 45
Anaphalis javanica, 303, 304
ANDREWS, F. M., Abnormal elaters of Porella platyphylla, 85
Aneura pinguis, 201
Anguria **elliptica,** 54
Angiopteris evecta, 96, 289
Anogramma chaerophylla, 18
Antherozoid of the genus Riccardia, The, 197
Anthurium, 390, 396; acaule, 390; Andreanum, 390; gracile, 390; grande, 390, 391, 396, 397; Guildingii, 390; Hookeri, 390, 395; magnificum, 390; Olfersianum, 390; rubricaule, 394; sagittatum, 396; scandens, 390, 391; Scherzerianum, 390, 391, 396; Selloum, 394, 395; variabile, 390
Anthurium, Intracellular relations of aggregate crystals in the spadix of, 389
Apogamy in Phegopteris polypodioides, 17
Appendicula, 289; ramosa, 289
Aralia, 2
Arbutus Unedo, 3
Argostemma montanum, 289
Arisaema filiforme, 289
Artemisia, 250
Aschersonia, 308
Ascomycetes—II. An interesting Xylaria from Porto Rico, Studies in tropical, 307
ASHE, W. W., Further notes on trees and shrubs of the southeastern United States, 359
Aspasia, 7, 9, 10, 11, 13, 16
Aspidium, 19, 96; falcatum, 17, 18; Thelypteris, 96
Asplenium, 306; caudatum, 306; Nidus, 19, 290, 293, 295, 306; platyneuron, 333, 336
Astragalus, 177–179, 181, 185, 261, 263, 266; acerbus, 178, 183; alpinus, 186; amphidoxus, 178; Antiselli, 271; Bodini, 187; caespitosus, 179; campestris, 261–263; campestris diversifolius, 262; Carltonii, 266; Coltoni, 184, 185, 269; Coltoni moabensis, 271; convallarius, 261, 268; debilis, 186, 187; decumbens, 264, 267; decumbens convallarius, 262, 268; decurrens, 267; divergens, 264–266; diversifolius, 178, 262, 263; diversifolius roborum, 262, 263; Dodgeanus, 183; episcopus, 185, 264, 269; exiliflorus, 178, 180, filipes, 184; Garrettii, 267; gaviotus; 272; grallator, 187; gummifer, 6, 13; Hasseanus, 271; Haydenianus, 187; humilis, 266; inversus, 271; junceus, 262, 263; junciformis, 178; lancearius, 184; leptophyllus, 269; lingulatus, 178; microcystis, 186; miser, 186; multiflorus, 181; orthocarpus, 263; Palliseri, 178, 266; pauciflorus, 185; paucijugus, 267; recurvus, 184; Rusbyi, 184; Rydbergii, 267; serotinus, 264, 266; serotinus campestris, 261; serotinus Palliseri, 267, 268; simplicifolius, 179, 180; spatulatus, 179; stenophyllus, 269; strigosus, 178, 266; tenellus, 181, 183, 184; tenellus

acerbus, 183; tenellus Clementis, 182; tenellus strigulosus, 182; wingatanus, 183; wingatensis, 183
Astronia, 296; spectabilis, 299

Bacillus coli communis, 232; Megatherium, 232; typhosus, 232
Bacterium tumefaciens, 233–241
Bacterium tumefaciens into the tobacco plant, Studies on plant cancers —IV. The effects of inoculating various quantities of different dilutions of, 231
Bactris **savannarum,** 51
Balanophora, 301; elongata, 301
Barosma betulina, 3; crenata, 3; crenulata, 3; serratifolia, 3; vulgaris, 3
Begonia, 12; isoptera, 296; **lomensis,** 43
BLAKE, S. F., New American Connaraceae, 273; Two new composites from Florida, 203
Blechnum occidentalis, 2
Boletus medulla-panis, 249
Botrychium Lunaria, 96; obliquum, 96; virginianum, 96
Brachyruscus, 211; Alleni, 209, 211, 213
BRANDEGEE, T. S., A note on Penstemon Stephensi, 215
BRITTON, NATHANIEL LORD, Studies of West Indian plants—XI, 35
BROWN, ELIZABETH DOROTHY WUIST, Apogamy in Phegopteris polypodioides, 17
Bulbophyllum, 289

Cactus, 13
Caesalpinia Sapan, 395
Calamus, 288
Calyptranthes **montana,** 44
Camptosorus rhizophyllus, 333, 336
Cannabis sativa, 73
Carex, 343, 344, 346, 348, 349, 355; acuta, 343–345; acuta nigra, 344, 345; acuta ruffa, 344, 345; alpina, 343; ambigua, 343; angustifolia, 344; annectens, 353–355; annectens xanthocarpa, 355; Bicknellii, 353, 355; bipartita, 348; **brachyglossa,** 355; caespitosa, 343, 344; contigua, 347; divulsa, 347; echinata, 347; enervis, 350; fusca, 344; Goodenowii, 343–345; gracilis, 344; Heleonastes, 349; hirsuta, 349; **hirsutella,** 349; Lachenalii, 348; lagopina, 348; Leersii, 347; Moenchiana, 344; Muhlenbergii, 349, 350, 355; Muhlenbergii enervis, 350, 351; Muhlenbergii xalapensis, 350; muricata, 346, 347; nigra verna vulgaris, 345; Pairaei, 347; **plana,** 350, 351; polyandra, 343; setacea, 353; simpliciuscula, 349; stellulata, 346, 347; stolonifera, 344; triceps hirsuta, 349; vulgaris, 343; vulpinoidea, 353; vulpinoidea ambigua, 353; vulpinoidea xanthocarpa, 355; xalapensis, 350; xanthocarpa, 353–355; xanthocarpa annectens, 353
Carex—XIII, Notes on, 343
Carpolithes Alleni, 208, 211
Caruguata, 289
Cassia, 3
Castanea, 250, 299; argentea, 286; **arkansana,** 361; floridana, 359, 360; **Margaretta,** 359, 360; **ozarkensis,** 360; pumila, 359, 360; pumila Margaretta, 359; Tungurrut, 286
Cayuga Lake, New York, Tolypella longicoma in, 173
Celtis georgiana, 361; laevigata, 362; laevigata **appositа,** 361
Cephalostemon, 150, 151
Cestrum elegans, 289
Cetraria, 303
Chaptalia **montana,** 51
Chara, 173
Cheilanthes, 329; gracillima, 329, 330, 336, 338
Cheilanthes gracillima, An ecological study of, 329
Circaea lutetiana, 134
Clusia **aripoensis,** 53; **intertexta,** 52
Coccolobis **monticola,** 37; **saxicola,** 37
Coffea arabica, 13
Colorado, Two new plants from, 217
Connaraceae, New American, 273
Connarus **megacarpus,** 273; Perrottetii, 273; suberosus, 273
Cordia **ierensis,** 54; panicularis, 54
Cordyceps, 308
Cornus Mas, 3
Corylus Avellana, 3
Curculigo curvata, 296
Cuscuta boliviana, 277; **lucidicarpa,** 277; **rubella,** 278
Cuscuta from Peru, Two new species of, 277
Cyathea, 19; orientalis, 298
Cydonia, 2, 3
Cyrtandra repens, 293

Dalbergia, 208; reticulata, 208, 212
Datura, 139

Dendrobium, 289; crumenatum, 289; Hasseltii, 300, 301
Diagnoses of American Porias—II, 245
Dichroa febrifuga, 300
Dicksonia, 19, 298; Blumei, 298
Dinochloa scandens, 288
Diplazium proliferum, 289
Disporum, 306; chinense, 296; pullum, 296
Dobinea vulgaris, 211, 213
Draba, 217; **alpicola**, 217
Dryopteris, 289; heterocarpa, 306; mollis, 97, 98, 102, 104, 105; truncata, 289
Dumortiera hirsuta, 291

Echinopsis Eyriesii, 4; multiplex, 4
Ecological study of Cheilanthes gracillima, An, 329
Elaeocarpus, 306; Acronodia, 293
Elaphoglossum, 301
Elatostemma, 296
Embelia, 288; pergamacea, 288
Embryo sac development and accompanying phenomena in Oenothera rubrinervis, A study of the, 133
Empusa, 318; Muscae, 317–323, 325; Sciarae, 319
Empusa Muscae, Resting spores of, 317
Encephalartos, 394
Engelhardtia, 292, 294, 299, 306; serrata, 292; spicata, 292
Entomophthora, 320; americana, 322; gleospora, 324
Epilobium, 134
Epiphyllum, 4
Epipremnum pinnatum, 292, 293
Eria, 289
Ervum multiflorum, 181
ETTER, AUSTIN, Polyembryony developed under experimental conditions in certain polypodiaceous ferns, 95
Eugenia, 287; **brevipetiolata**, 45; Cati, 44; **ginoriaefolia**, 44; **lomensis**, 44; **rigidula**, 45
Euonymus, 287; javanicus, 287
Eurya, 302; japonica, 299
Euterpe globosa, 308, 309

Fabaceae—I, Notes on, 177
Fabaceae—II, Notes on, 261
Fagara scandens, 293
Fagus, 250
Ferns, Polyembryony developed under experimental conditions in certain polypodiaceous, 95
Ficus, 286; disticha, 286; involucrata, 286; Ribes, 287
Fimbriaria Zollingeri, 294
Flaveria floridana, 205; linearis, 205; **pinetorum**, 204
Florida, Two new composites from 203
Fomes connatus, 247
Fossombronia caepitiformis, 86
Fraxinus, 250
Freycinetia, 293–296
Further notes on trees and shrubs of the southeastern United States, 359

Gahnia javanica, 305
GAISER, L. O., Intracellular relations of aggregate crystals in the spadix of Anthurium, 389
Gaultheria, 302, 304; fragrantissima, 304; leucocarpa, 303
Genus Heliocarpus, The, 109
Genus Riccardia, The antherozoid of the, 197
Geranium, 81–84; atropurpureum, 82–84; caespitosum, 81–84; Fremontii, 82, 83; Fremontii Parryi, 83; intermedium, 82, 84; Parryi, 83, 84
Geranium caespitosum James?, What is, 81
Ginkgo, 389, 391, 392
Ginoria **montana**, 43
GLEASON, HENRY ALLAN, Windsorina, a new genus of Rapataceae, 147
Gleditsia, 250
Gleichenia, 95, 298; linearis, 298; volubilis, 298
Godetia, 134
GOLDSTEIN, BESSIE, Resting spores of Empusa Muscae, 317
Graffenrieda **rufescens**, 45
Graphis, 291
Grewia, 114; terebinthinacea, 114, 121
Guettarda **cobrensis**, 49; crassipes, 49; **cryptantha**, 48
Gymnogramme chrysophylla, 96

Haemocharis **angustifolia**, 43
Hagenia abyssinica, 13
Hamosa, 184
Hebeclada, 41
Hedychium coronarium, 296
Heliocarpus, 109, 114, 115, 122; americana, 109; americanus, 110–112, 116, 123; americanus popayanensis, 110, 121, 123, 124; americanus typica, 122, 124; americanus typicus, 110; appendiculatus, 110,

116, 122; arborescens, 110; attenuatus, 110, 116, 119; **australis,** 117, 124; boliviensis, 113, 117, 127; Caeciliae, 113, 125; diclinus, 113, 117, 125; Donnellsmithii, 112, 113, 117, 125; glaber, 112, 113, 118; glabrescens, 113, 117; glanduliferus, 110, 113, 115–117; laevis, 112, 113, 118; microcarpus, 112, 120; Nelsoni, 114, 121; nodiflorus, 117, 126; oblongifolius, 110, 128; occidentalis, 115, 118; pallidus, 115, 118; Palmeri, 110, 116, 119; polyandrus, 110, 113, 115, 118; polyandrus nodiflorus, 126; popayanensis, 109, 112, 113, 116, 124; popayanensis grandifolius, 113, 124; popayanensis Purdiei, 112, 124; popayanensis Schumanni, 124; popayanensis trichopoda, 124; reticulatus, 112, 116, 120; Rosei, 113, 117, 127; **rudis,** 117, 126; stipulatus, 113, 114, 116, 121; terebinthinaceus, 116, 121; tigrinus, 113, 114; tomentosus, 110–112, 116, 122; trichopodus, 110, 124; velutinus, 112, 116, 120; viridis, 116, 120

Heliocarpus, The genus, 109

Helminthostachys, 96

Hibiscus syriacus, 4

Histology of certain orchids with reference to mucilage secretion and crystal formation, The, 1

HITCHCOCK, ROMYN, Tolypella longicoma in Cayuga Lake, New York, 173

HOLLICK, ARTHUR, The taxonomic and morphologic status of Ophioglossum Alleni Lesquereux, 207

Homalobus, 177, 178, 185–187, 261, 269; acerbus, 183, 184; **Antiselli,** 269–271; Bourgovii, 186, 187, 266; brachycarpus, 178–180; caespitosus, 178, 179; campestris, 261–265, 268, 269; camporum, 266; canescens, 178, 179; canovirens, 269, 271; Clementis, 178, 182–184; **Coltoni,** 269; decumbens, 264–266; decurrens, 267; detritalis, 268; dispar, 178, 181, 182; divergens, 266, 267; Dodgeanus, 183, 184; episcopus, 269; exilifolius, 180; filipes, 269, 271; **gaviotus,** 269, 272; humilis, 262, 266; hylophilus, 261, 266–268; **inversus,** 269, 271; junceus, 178, 262, 263, 269; junciformis, 262, 263; lancearius, 184, 185; lingulatus, 180; **Mac Gregorii,** 269, 270; microcarpus, 178, 264, 267; miser, 186; nigrescens, 181, 182; oblongifolius, 261, 266; orthocarpus, 262–264; Palliseri, 265, 268; paucijugus, 267; proximus, 178; **retusus,** 186; Salidae, 178; serotinus, 254, 265; simplicifolius, 179, 181; **Standleyi,** 182–184; stenophyllus, 269–271; stipitatus, 178, 182; strigosus, 265, 266; strigulosus, 182, 183; tenellus, 181–183; tenuifolius, 261, 264–267; uniflorus, 178, 180; vexilliflexus, 185; wingatanus, 184

Hoya carnosa, 390, 395

Humulus, 73; japonicus, 73, 74, 77; Lupulus, 73, 74

Hymenophyllum, 291; paniculiflorum, 301, 306

Hypericum Leschenaultii, 302

Hypocrella, 308

Ilex, 248, 287; spicata, 287

Impatiens, 296; choneceras, 296; cyclocoma, 296; hirsuta, 296; platypetala, 296, 300, 302

Inga **ierensis,** 52

Intracellular relations of aggregate crystals in the spadix of Anthurium, 389

Japanese hop, Sex reversal in the, 73

Java, The altitudinal distribution of plants on Mt. Gedeh, 283

Juniperus **saxicola,** 35

Kerria japonica, 394, 395

Kobresia, 348, 349; bipartita, 348; caricina, 348, 349; **simpliciuscula,** 349

Koelreuteria bipinnata, 210, 212; paniculata, 210, 212

Lacinaria **Ohlingerae,** 203, 206; scariosa, 204

Lagenocarpus **portoricensis,** 55; **tremulus,** 55

Laminaria, 2

Lasianthus lucidus, 300

LEVINE, MICHAEL, Studies on plant cancers—IV. The effects of inoculating various quantities of different dilutions of Bacterium tumefaciens into the tobacco plant, 231

Linum, 2, 6

Liparis, 289

Liquidambar Altingiana, 285

Liriodendron, 250

Litsea, 287

Lobelia **cacuminis,** 50

Lomaria vestita, 301

Lonicera Loureiri, 300
Lupinus affinis, 159, 161, 162, 165; affinis carnosulus, 165; apricus, 170; bicolor, 172, 373–375, 377, 380, 382, 386, 387; bicolor microphyllus, 377, 380, 382; bicolor **Pipersmithii**, 377, 380, 381, 386; bicolor **tetraspermus**, 377, 385; bicolor **tridentatus**, 377, 378, 380, 386; bicolor **trifidus**, 377, 386, 387; bicolor **umbellatus**, 377; carnosulus, 165, 166; concinnus, 374; hirsutulus, 170, 171; micranthus, 382, 383, 386; micranthus bicolor, 373; micranthus microphyllus, 382; micranthus trifidus, 386; microphyllus, 383; manus, 159–162, 164–168, 171, 373, 374; nanus **apricus**, 164, 170–172; nanus **carnosulus**, 164–166, 171; nanus **Menkerae**, 164, 167, 168; nanus **perlasius**, 164, 165; nanus **vallicola**, 164, 168, 169, 171; nootkatensis, 161; perennis, 161; persistens, 168; Pipersmithii, 380; rostratus, 382, 383; sabulosus, 373, 375; scaposus, 383; sparsiflorus, 160, 374; strigulosus, 373, 375; succulentus, 162; trifidus, 386; umbellatus, 377; vallicola, 168; vallicola apricus, 170
Lupinus bicolor, Studies in the genus Lupinus—IX., 373
Lupinus nanus, Studies in the genus Lupinus—VIII., 159
Lycopodium gedeanum, 304; Phlegmaria, 294; volubile, 301

MACKENZIE, KENNETH K., Notes on Carex—XIII, 343
Macropanax dispermum, 293
Malva vulgaris, 3
Mammillaria densa, 4
Marchantia polymorpha, 197, 199
Marsdenia **bicolor**, 47
Marsilea, 201; Drummondii, 17
Matteuccia nodulosa, 98; Struthiopteris, 97–99, 101–105, 108
Maytenus **saxicola**, 41
Meliosma, 306; nervosa, 293
Mesembryanthemum Phaseolus, 11
Miconia **plumieriaefolia**, 45
Micranthi, 159
Mniodendron divaricatum, 294
Mnium, 85; cuspidatum, 85
Monotrema, 151
Monstera deliciosa, 395
Morphologic status of Ophioglossum Alleni Lesquereux, The taxonomic and, 207
Morus alba, 395
Mt. Gedeh, Java, The altitudinal distribution of plants on, 283
Musa acuminata, 286; domestica, 317; paradisiaca, 13
Myrica, 304; **cacuminis**, 35; javanica, 303, 304

Nectandra **reticularis**, 38
Nelumbium, 394
Nemopanthus, 248
Nepenthes, 295, 300; melamphora, 295
Nephrodium hirsutum, 301; molle, 18; tuberosum, 301
Nephrolepis acuminata, 290
Nephromopsis, 303
New American Connaraceae, 273
New composites from Florida, Two, 203
New genus of Rapataceae, Windsorina, a, 147
New plants from Colorado, Two, 217
New species of Cuscuta from Peru, Two, 277
New York, Tolypella longicoma in Cayuga Lake, 173
Nitella opaca, 175
Note on Penstemon Stephensi, A, 215
Notes on Carex—XIII, 343
Notes on Fabaceae—I, 177;—II, 261
Notes on Rosaceae—XIV, 61
Notholaena, 18

Odoratae, 48
Oenothera, 133–135, 137, 141; biennis, 134, 135, 138, 140, 141, 143; coccinea, 134, 141; deserens, 134; fransciscana, 135; Lamarckiana, 133–135, 138, 140–142; muricata, 134, 141; nutans, 134, 138, 140, 142, 143; pycnocarpa, 134, 138, 140, 142, 143; rhizocarpa, 134, 141; rubricalyx, 135; rubrinervis, 133–138, 140–143; tetraptera, 134, 141
Oenothera rubrinervis, A study of the embryo-sac development and accompanying phenomena in, 133
Olea, 287; javanica, 287
Oleandra neriiformis, 294
Oncidium stipitatum, 7, 9, 13
O'NEAL, CLAUDE E., A study of the embryo-sac development and accompanying phenomena in Oenothera rubrinervis, 133
Onoclea Struthiopteris, 97; sensibilis, 97, 98, 105
Ophioglossum, 208; Alleni, 207, 211; vulgatum, 207

Ophioglossum Alleni Lesquereux, The taxonomic and morphologic status of, 207
Ophiorrhiza longiflora, 296
Opuntia, 11; Tuna, 4
Orchids with reference to mucilage secretion and crystal formation, The histology of certain, 1
Orchis, 2–4, 10, 12, 13; spectabilis, 7, 10
Oreocarya, 218; **stricta,** 217; virgata, 218
Orobus dispar, 181
Oscillatoria, 299
Osmunda, 95; regalis, 2
OSTERHOUT, GEO. E., Two new plants from Colorado, 217; What is Geranium caespitosum James?, 81
Ostrya, 250
Ouratea **xolismaefolia,** 42
OVERHOLTS, L. O., Diagnoses of American Porias—II, 245

Pandanus Lais, 288
Papillaria fuscescens, 294, 306
Parmelia, 303
Pellaea, 18, 19; flavens, 18
Penstemon centhranthifolius, 215; Clevelandi, 215; Stephensi, 215
Penstemon Stephensi, A note on, 215
Persea **anomala,** 38; **similis,** 38
Pertusaria, 291
Peru, Two new species of Cuscuta from, 277
Phaca, 186, 187; Bodini, 187; canescens, 272; debilis, 187; elegans, 186; microcystis, 187; nigrescens, 181; simplicifolia, 179
Phaeographis, 303
Phaeomeria solaris, 289, 293
Phegopteris polypodioides, 19, 21, 29–32
Phegopteris polypodioides, Apogamy in, 17
Philodendron argyrea, 395; cordifolium, 396; pertusum, 395
Phyllites, 208; Alleni, 208
PICKETT, F. L., An ecological study of Cheilanthes gracillima, 329
Pilea **aripoensis,** 51; **crenata,** 36; **ermitensis,** 36; **membranacea,** 35; **micromeriaefolia,** 36; **ovalifolia,** 35; **yarensis,** 36
Pinanga Kuhlii, 288
Pinus ponderosa, 329
Piper, 286; baccatum, 286
Pithecolobium montanum, 287
Plagiochila, 294; Belangeriana, 294
Plagiogyria glauca, 301
Plantago, 6; major, 302
Plant cancers—IV. The effects of inoculating various quantities of different dilutions of Bacterium tumefaciens into the tobacco plant, Studies on, 231
Plants on Mt. Gedeh, Java, The altitudinal distribution of, 283
Plectocomia, 288; elongata, 288
Plumiera **montana,** 46
Podocarpus, 285, 292, 294, 295, 299; amara, 292; cupressina, 292; imbricata, 292; neriifolia, 292
Polyembryony developed under experimental conditions in certain polypodiaceous ferns, 95
Polygala **ambigens,** 40; cubensis, 41; Funkii, 40; paniculata, 40; portoricensis, 39; **rhynchosperma,** 40; **scabridula,** 39; Wrightii, 41
Polygonatum, 296
Polyosma, 296, 306; ilicifolia, 299
Polypodiaceous ferns, Polyembryony developed under experimental conditions in certain, 95
Polypodium, 290, 301; cucullatum, 301, 306; Feei, 290, 304; Heracleum, 290; hirtellum, 301; nigrescens, 293; obliquatum, 290, 301; rupestris, 301; setigerum, 294
Polyporus corticola, 245
Polystachya minuta, 7, 10
Polystichum biaristatum, 301
Populus, 245, 250; tremuloides, 246; trichocarpa, 246
Porella platyphylla, 85, 87; platyphylloidea, 85
Porella platyphylla, Abnormal elaters of, 85
Poria aurea, 247; corticola, 245–247, 252; inermis, 247, 248, 253; medullapanis, 249, 251, 252; obliquus, 248; pulchella, 250; subacida, 251, 252; Xantholoma, 250
Porias—II, Diagnoses of American, 245
Porto Rico, Studies in tropical Ascomycetes—II. An interesting Xylaria from, 307
Pothos crassinervius, 395
Prestonia **Fendleri,** 53
Primula imperialis, 302
Prunus, 2, 250, 355
Psidium **cacuminis,** 43
Psychotria **Leonis,** 50
Pteretis nodulosa, 98
Pteridium aquilinum, 289
Pteris, 19; longifolia, 97, 98, 101, 102, 105; longipes, 289

Pygeum, 306; latifolium, 293

Quercus, 250, 286, 295, 299; pedunculata, 3; spicata, 286; Pseudomolucca, 286

Ranunculus javanicus, 302
Rapanea, 296, 302, 306; avenis, 299; **microphylla**, 46
Rapataceae, Windsorina, a new genus of, 147
Rapatea, 149, 151; Friderici-Augusti, 148; paludosa, 150
Relations of aggregate crystals in the spadix of Anthurium, Intracellular, 389
Resting spores of Empusa Muscae, 317
Rhamnidium **bicolor**, 41
Rhamnus Frangula, 4, 13
Rhaphidophora, 288
Rhododendron, 300, 303, 304; cilium, 300; javanicum, 300; retusum, 300
Rhus, 250
Riccardia, 197, 200, 201; multifida, 199–201; palmata, 200; pinguis, 197–201
Riccardia, The antherozoid of the genus, 197
Ricinus communis, 390, 394
Robinia, 250; **albicans**, 362; Boyntonii, 362, 363; hispida, 362; **pauciflora**, 362; pedunculata, 362
Rondeletia, 48; **calophylla**, 48; **naguensis**, 48
Rosa acicularis, 64, 67; alcea, 63, 66; arizonica, 68; arkansana, 63–66; arkansanoides, 66; blanda, 64, 65, 68, 70; Bourgeauiana, 64, 67; Bushii, 63; carolina, 62, 69; conjuncta, 63, 66, 67; deserta, 70; dulcissima, 66; Engelmanni, 64, 67; Fendleri, 64, 68, 70, 71; fimbriatula, 70; foliosa leiocarpa, 70; granduliferа, 68; gratiosa, 68; grosseserrata, 71; heliophila, 65; humilis, 69; lucida, 69; Lunellii, 63, 65, 66; Lyoni, 62, 66; Macounii, 64, 70, 71; Maximiliani, 70; naiadum, 71; neomexicana, 68; palustris, 62; poetica, 68; polyanthema, 63, 67; pratincola, 65; pratincola setulosa, 66; puberulenta, 68; pyrifera, 64, 71; rubella, 69; rubifolia, 61; rubiginosa, 61; rudiuscula, 62; Rydbergii, 65; Sandbergii, 70; serrulata, 62; setigera, 61; stricta, 65; subblanda, 64, 68; subglabra, 66; subglauca, 63, 64, 66; subnuda, 71; suffulta, 62–67; terrens, 64, 70; virginiana, 66; Woodsii, 64, 68–71
Rosaceae—XIV, Notes on, 61
Rourea **adenophora**, 273; glabra, 274; **Pittieri**, 274
Rubus adenotrichos, 39; alpestros, 297; costaricanus, 39; irasuensis, 39; miser, 39; **turquinensis** 38, 39; Vera-Crucis, 39
Ruscus, 209, 211; aculeatus, 211, 213
RYDBERG, PER AXEL, Notes on Fabaceae—I, 177; —II, 261; Notes on Rosaceae—XIV, 61
Rynchospora **Blauneri**, 56; divergens, 56; **luquillensis**, 56

Saccharomyces anomalus, 232
Salix alba, 3
Salvia, 2, 3; **scopulorum**, 47
Salvinia, 208; Alleni, 207, 211, 212; formosa, 208; reticulata, 207, 208, 212
Sassafras officinale, 13
Saxo-Fridericia, 148–151
Saurauja, 287; nudiflora, 287; pendula, 287
SCHAFFNER, JOHN H., Sex reversal in the Japanese hop, 73
Schefflera, 306; lutescens, 300
Schima, 294, 295; Noronhae, 292, 299, 306
Schoenocephalium, 150, 151
Schoenorchis juncifolia, 293
Sciara, 319
Scilla maritima, 4
Scindapsus hederaceus, 288
Scleria **doradoensis**, 55; **Stevensiana**, 55
Sclerotinia, 308
SEAVER, FRED J., Studies in tropical Ascomycetes—II. An interesting Xylaria from Porto Rico, 307
Sebesten **Leonis**, 47
SEIFRIZ, WILLIAM, The altitudinal distribution of plants on Mt. Gedeh, Java, 283
Sematophyllum pinnatum, 306
Senecio **Leonis**, 50
Serjania **ierensis**, 52
Sex reversal in the Japanese hop, 73
Shrubs of the southeastern United States, Further notes on trees and, 359
Siphocampylus **pinnatisectus**, 56
Smilax odoratissima, 288
SMITH, CHARLES PIPER, Studies in the genus Lupinus—XIII. Lupinus nanus, 159;—IX. Lupinus bicolor, 373

SMITH, EDNA L., The histology of certain orchids with reference to mucilage secretion and crystal formation, 1
Sonchus asper, 302
Spathanthus, 149, 151; unilateralis, 150
Staphylea trifolia, 210, 212
Stegolepis, 149, 151
STEIL, W. N., The antherozoid of the genus Riccardia, 197
Stenolepia tristis, 290
Stenostomum **apiculatum**, 50
Sterculia, 2
Sticta, 291
Strobilanthes cernuus, 295, 296
Studies in the genus Lupinus—VIII. Lupinus nanus, 159; —IX. Lupinus bicolor, 373
Studies in tropical Ascomycetes—II. An interesting Xylaria from Porto Rico, 307
Studies of West Indian plants—XI, 35
Studies on plant cancers—IV. The effects of inoculating various quantities of different dilutions of Bacterium tumefaciens into the tobacco plant, 231
Study of Cheilanthes gracillima, An ecological, 329
Study of the embryo sac development and accompanying phenomena in Oenothera rubrinervis, A, 133
Stylogyne **tenuifolia**, 53
Symphytum 3, 12; officinale, 4
Symplocos, 296, 306; **Leonis**, 46; sessilifolia, 299
Talauma **orbicul ta**, 37
Taonabo **monticola**, 42; **Leonis**, 42
Targionia hypophylla, 87
Taxonomic and morphologic status of Ophioglossum Alleni Lesquereux, The, 207
Theobroma Cacao, 4
Tilia, 2, 250, 395; grandiflora, 3, 4; parviflora, 4
Tillandsia, 289
Tmesipteris, 208; Alleni, 208
Tobacco plant, Studies on plant cancers—IV. The effects of inoculating various quantities of different dilutions of Bacterium tumefaciens into the, 231
Tolypella comosa, 174; glomerata, 173, 175; longicoma, 174, 176
Tolypella longicoma in Cayuga Lake, New York, 173
Tragacantha, 179
Trees and shrubs of the southeastern United States, Further notes on, 359
Trichomanes, 291
Triumfetta, 114
Turpinia, 287
Two new composites from Florida, 203
Two new plants from Colorado, 217
Two new species of Cuscuta from Peru, 277

Ulmus, 250; glutinosa, 3
Uncaria, 288
United States, Further notes on trees and shrubs of the southeastern, 359
Urginea maritima, 13
Usnea, 298

Vaccinium, 299–302, 304, 306; atrococcum, 359; **carolinianum**, 359; coriaceum, 300; ellipticum, 300; laurifolium, 300; lucidum, 300; pallidum, 359; simulatum, 359; Teysmanni, 300, 306; varingiaefolium, 300, 303, 304, 306
Vanilla planifolia, 5
Varronia **longipedunculata**, 47
Vaucheria, 393
Verbascum Thapsus, 111
Vernonia arborea, 287
Viburnum, 287
Vicia tetrasperma, 386
Vignea, 348
Viola serpens, 302; tricolor, 13
Vitis papillosa, 288
Vittaria, 97; elongata, 290

WATSON, E. E., The genus Heliocarpus, 109
Weinmannia, 299
West Indian plants—XI, Studies of, 35
What is Geranium caespitosum James?, 81
Windsorina, 148–151; **guianensis**, 148, 149, 152
Windsorina, a new genus of Rapataceae, 147
Woodsia ilvensis, 18

Xanthorrhoea Preissii, 284, 306
Xylaria, 308; **Bruneriana**, 309, 310; palmicola, 309
Xylaria from Porto Rico, Studies in tropical Ascomycetes—II. An interesting, 307

YUNCKER, T. G., Two new species of Cuscuta from Peru, 277